Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	brocade.as. and load adj balancing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:13
S2	7	brocade.as. and load adj balancing	US-PGPUB; USPAT	OR	ON	2004/12/10 08:14
S3	336	brocade.as.	USPAT	OR	ON	2004/12/10 08:17
S4	0	brocade.as. and (alternat$ adj path$3 or multi-path$ or multipath$)	USPAT	OR	ON	2004/12/10 08:15
S5	0	brocade.as. and (alternat$ adj3 path$3 or multi-path$ or multipath$)	USPAT	OR	ON	2004/12/10 08:15
S6	0	brocade.as. and redundan$ adj3 switch$	USPAT	OR	ON	2004/12/10 08:16
S7	8	"brocade communications".as.	USPAT	OR	ON	2004/12/10 08:25
S10	6	"brocade communications".as. and failover	US-PGPUB; USPAT	OR	ON	2004/12/10 08:27
S11	8	"brocade communications".as. and high adj availabilit$	US-PGPUB; USPAT	OR	ON	2004/12/10 08:27
S12	2	S11 not S10	US-PGPUB; USPAT	OR	ON	2004/12/10 08:45
S13	1	"6438128".pn.	US-PGPUB; USPAT	OR	ON	2004/12/10 08:46
S14	2	("6199137" | "6243787").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 08:46
S15	4	("5440545" | "5659758" | "5689713" | "6038629").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 08:55
S18	4	(switch$3 or router$1) with load adj3 balanc$3 same (failover or fail adj over or switch$3 adj3 over or redundan$) and (multi-path$ or multi adj3 path$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:20
S19	0	second adj2 switch$3 with load adj3 balanc$3 same (failover or fail adj over or switch$3 adj3 over or redundan$) and (multi-path$ or multi adj3 path$3 or multipath$)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:34
S20	1	"20030021223".pn. and fifth	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 15:06

S26	1	"20030140124".pn. and load adj balanc$ and fail-over and switch$3 and port$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:10
S27	1	"6687758".pn. and load adj balanc$ and fail-over and switch$3 and port$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:14
S28	36	fabric adj3 switch$3 and port$1 with (fail-over or fail$3 adj over or failover) and identifier$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:16
S29	13	fabric adj3 switch$3 and port$1 with (fail-over or fail$3 adj over or failover) and identifier$1	USPAT	OR	ON	2004/12/10 11:15
S30	0	"brocade communications".as. and port$1 and failover and address and identif$	USPAT	OR	ON	2004/12/10 11:17
S31	0	"brocade communications".as. and port$1 and failover and address	USPAT	OR	ON	2004/12/10 11:17
S32	3	address$3 adj3 map$4 and alternat$3 adj3 port$1 and fabric adj switch	USPAT	OR	ON	2004/12/10 11:27
S33	3	address$3 adj3 map$4 and alternat$3 adj3 port$1 and fabric adj switch and table	USPAT	OR	ON	2004/12/10 11:57
S35	3	S33 and rout$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:57
S36	0	address$3 and map$4 and alternat$3 adj3 port$1 and fabric adj switch and table and ("6714516".pn. or "6389493".pn. or "6359881".pn. or "6452942". pn. or "6597689".pn. or "6580727".pn. or "6529479".pn.)	USPAT	OR	ON	2004/12/10 11:59
S37	1	address$3 and map$4 and fail$5 with port$1 and fabric adj switch and table and ("6714516".pn. or "6389493".pn. or "6359881".pn. or "6452942".pn. or "6597689". pn. or "6580727".pn. or "6529479".pn.)	USPAT	OR	ON	2004/12/10 12:02
S38	39	address$3 and fail$5 with port$1 and fabric adj switch and table	USPAT	OR	ON	2004/12/10 12:08

S39	38	S38 and identif$	USPAT	OR	ON	2004/12/10 12:05
S40	2	S39 and fail adj over	USPAT	OR	ON	2004/12/10 12:03
S41	38	S38 and (id$1 or identif$)	USPAT	OR	ON	2004/12/10 12:07
S42	0	(fabric and switch and (failover or fail adj over or fail-over) and port$).ti.	USPAT	OR	ON	2004/12/10 12:09
S43	0	(fabric and switch and (failover or fail adj over or fail-over) and port$).ab.	USPAT	OR	ON	2004/12/10 12:09
S44	10	(fabric and switch and fail$ and port$).ab.	USPAT	OR	ON	2004/12/10 13:03
S45	2	(fabric adj3 switch and fail$ and port$).ab.	USPAT	OR	ON	2004/12/10 12:10
S46	29	fabric near2 switch and fail$ near5 port$ and SAN	USPAT	OR	ON	2004/12/10 13:04
S47	25	S46 and address$ and identif$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:05
S48	16	S47 and adapter$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:05
S49	16	S48 and rout$3 and interfac$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:56
S50	2	"6343324".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:32
S51	61	wwn same hba and switch	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:33
S52	14	wwn same hba and switch	USPAT	OR	ON	2004/12/10 13:33

S53	45	("5136498" | "5151987" | "5202822" | "5206946" | "5237695" | "5274783" | "5287537" | "5325527" | "5333277" | "5388243" | "5463772" | "5471634" | "5491812" | "5504757" | "5524175" | "5528765" | "5548731" | "5548783" | "5561812" | "5566331" | "5574861" | "5574862" | "5596723" | "5613160" | "5640541" | "5664221" | "5787019" | "5812751" | "5819054" | "5892955" | "5923850" | "5925119" | "5941972" | "5991813" | "5996024" | "6003065" | "6041381" | "6178173" | "6188997" | "6263445" | "6363497" | "6449733" | "6496942" | "6523131" | "6574753").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 13:53
S54	7	S48 and rout$3 and interfac$ and wwn	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:13
S55	1	"6421711".pn. and failover	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:40
S56	0	"6421711".pn. and failover with port$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:13
S61	1	"6421711".pn. and alternat$ with path	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:46
S65	0	"6421711".pn. and "Fig 3"	USPAT	OR	ON	2004/12/10 14:47
S66	1	"20030021223".pn. and node	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 15:41
S67	118	370/400,401,389,392.ccls. and (first adj3 port) with switch and (second adj4 port) with switch and destination adj3 address	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:21

S68	55	S67 and $2mapping	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:21
S70	27	S68 and failure	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:20
S71	3	S70 and (failover or fail-over or fail adj3 over)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:35
S74	2	vu.xp. and failover and port$1 and switch	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:23
S75	62	san and port$1 with fail$5 and switch$1 and (failover or fail-over or fail adj3 over) and destination adj3 address$2	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S76	23	S75 and "370"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:37
S77	8	S75 and "370"/$.ccls.	USPAT	OR	ON	2004/12/10 17:26
S78	15	S75 and "370"/$.ccls.	US-PGPUB	OR	ON	2004/12/10 17:37
S79	0	san and port$1 with fail$5 and switch$1 and (failover or fail-over or fail adj3 over) and destination adj3 address$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S80	0	port$1 with fail$5 and switch$1 and (failover or fail-over or fail adj3 over) and destination adj3 address$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 19:55
S81	0	port$1 with fail$5 and switch$1 and (failover or fail-over or fail adj3 over) and address$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S82	0	port$1 and fail$5 and switch$1 and (failover or fail-over or fail adj3 over) and address$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:40
S83	1	port$1 and fail$5 and switch$1 and address$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:40
S84	1	port$1 and fail$5 and switch$1 and address$2 and "6308282".pn. and alternat$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:49
S85	191	first adj3 node with failover second adj3 node and fabric adj3 switch	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 18:15

S86	102	S85 and "370".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:50
S87	45	S85 and "370".clas.	USPAT	OR	ON	2004/12/10 17:58
S88	11	S87 and san	USPAT	OR	ON	2004/12/10 17:58
S89	5	S88 and destination adj address	USPAT	OR	ON	2004/12/10 17:59
S90	5	S89 and map$5	USPAT	OR	ON	2004/12/10 17:59
S91	5	S88 and destin$5 adj5 address	USPAT	OR	ON	2004/12/10 17:57
S92	57	S85 and "370".clas.	US-PGPUB	OR	ON	2004/12/10 17:58
S93	18	S92 and san	US-PGPUB	OR	ON	2004/12/10 17:58
S94	19	S87 and destination adj address	USPAT	OR	ON	2004/12/10 18:08
S95	12	S94 and map$5	USPAT	OR	ON	2004/12/10 18:00
S96	7	S95 not S91	USPAT	OR	ON	2004/12/10 18:00
S97	7	S94 not (S96 or S91)	USPAT	OR	ON	2004/12/10 18:09
S98	7	S94 not (S95 or S91)	USPAT	OR	ON	2004/12/10 18:11
S99	0	veritas.as. and "370".clas.	USPAT	OR	ON	2004/12/10 18:11
S10 0	41	veritas.as.	USPAT	OR	ON	2004/12/10 18:11
S10 1	3	veritas.as. and failover	USPAT	OR	ON	2004/12/10 19:54
S10 2	3	veritas.as. and fail adj over	USPAT	OR	ON	2004/12/10 18:12
S10 3	2	S102 not S101	USPAT	OR	ON	2004/12/10 18:12
S10 4	5	S102 or S101	USPAT	OR	ON	2004/12/10 18:14
S10 5	0	S104 and fail$3 with port$1	USPAT	OR	ON	2004/12/10 18:12
S10 6	64	"370".clas. and first adj3 node with (failover or fail-over or fail adj over) second adj3 node and fabric adj3 switch	USPAT	OR	ON	2004/12/10 18:16
S10 7	23	S106 and destin$ adj address	USPAT	OR	ON	2004/12/10 18:28
S10 8	11	S107 and map$5 with port$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 18:19
S10 9	7	S106 and destin$ adj address and SAN	USPAT	OR	ON	2004/12/10 18:29

S110	0	(stand-by or standby or stand adj by) with failover same switch and destination adj2 address and mapp$3	USPAT	OR	ON	2004/12/10 18:31
S111	5	(stand-by or standby or stand adj by) with failover same switch and destination adj2 address	USPAT	OR	ON	2004/12/10 18:34
S112	2	S111 and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 18:31
S113	3	secondary with failover same switch and destination adj2 address	USPAT	OR	ON	2004/12/10 18:43
S114	42	virtual adj ip and cluster$3 and (fail adj over or fail-over or failover)	USPAT	OR	ON	2004/12/10 18:44
S115	15	S114 and "370".clas.	USPAT	OR	ON	2004/12/10 18:44
S116	34	sun.as. and cluster$ and (failover or fail-over or fail adj3 over)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 19:56
S117	19	sun.as. and cluster$ and (failover or fail-over or fail adj3 over)	USPAT	OR	ON	2004/12/11 12:06
S118	0	failover with second adj node same switch and SAN	USPAT	OR	ON	2004/12/11 12:09
S119	1	(failover or fail adj over or fail-over or switch adj over) with second adj node same switch and SAN	USPAT	OR	ON	2004/12/11 12:09
S120	0	(failover or fail adj over or fail-over or switch adj over) with second adj node and fabric near3 switch and SAN	USPAT	OR	ON	2004/12/11 12:10
S121	0	(failover or fail adj over or fail-over or switch adj over) with second adj node and fabric near3 switch	USPAT	OR	ON	2004/12/11 12:10
S122	5	(failover or fail adj over or fail-over or switch adj over) with second adj node and switch	USPAT	OR	ON	2004/12/11 12:10
S123	4	S122 not S119	USPAT	OR	ON	2004/12/11 12:12
S124	8	failover.ti. and "370".clas.	USPAT	OR	ON	2004/12/11 12:15
S125	1	failover and "6704278".pn. and address$ and rout$3	USPAT	OR	ON	2004/12/11 12:16

S12 6	1	S125 and switch$	USPAT	OR	ON	2004/12/11 12:16
S12 7	1	S126 and port$	USPAT	OR	ON	2004/12/11 12:59
S12 8	1	S127 and destination near3 address	USPAT	OR	ON	2004/12/11 13:00
S12 9	1	S128 and switch	USPAT	OR	ON	2004/12/11 13:20
S13 0	0	S129 and map$4	USPAT	OR	ON	2004/12/11 13:01
S13 2	1	S129 and (fail or fail$5)	USPAT	OR	ON	2004/12/11 13:21
S13 3	1	"20030021223".pn. and expand$ adj port$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:34
S13 4	1	fabric near2 switch$3 same expand$3 and "brocade communications".as.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:36
S13 5	4	"fabric switch".ti. and "370".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:36
S13 6	2	"fabric switch".ti. and "370".clas.	USPAT	OR	ON	2004/12/11 16:54
S13 7	1	"6724759".pn. and rout$3 near3 tables	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:13
S13 8	0	infinitive adj2 band with switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:14
S13 9	0	infinitive adj2 band with switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 0	0	infiniti$3 adj3 band with switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 1	0	infiniti$3 adj3 band same switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 2	0	infiniti$3 adj3 band and switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 3	0	infinitiband with switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:15
S14 4	262	infiniband with switch$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:15
S14 5	41	infiniband with switch$3	USPAT	OR	ON	2004/12/11 17:15

S146	4	infiniband with switch$3 and failover	USPAT	OR	ON	2004/12/11 17:35
S147	2	("20010013076" | "20020099881").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 17:19
S148	27	infiniband with switch$3 and failover	US-PGPUB	OR	ON	2004/12/11 17:40
S149	27	S148 not ibm.as.	US-PGPUB	OR	ON	2004/12/11 17:35
S150	14	infiniband with switch$3 and failover and rout$3 and table$1	US-PGPUB	OR	ON	2004/12/11 17:40
S151	12	(infiniband with switch$3 and failover and rout$3 and table$1) not "international business".as.	US-PGPUB	OR	ON	2004/12/11 17:41
S152	1	(infiniband with switch$3 and failover and rout$3 and table$1) not "international business".as. and "20030097481".pn.	US-PGPUB	OR	ON	2004/12/11 17:41
S153	0	"6704278".pn. and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 10:44
S154	0	"6704278".pn. and rout$3 with table$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 10:45
S155	0	"6704278".pn. and table$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57
S156	2	"6704278".pn. and program	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57
S157	2	"6704278".pn. and program and computer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57